

Breezy Style



CE

Status: 11_2021 to 12_2022
 Rev: 09_2021

ORDER FORM

Errors and imissions excepted.

Billing Address Or Customer-ID			Shipping Address		Identical To Billing Address	
C.-ID:			C.-ID:			
Name:			Name:			
Street:			Street:			
Town/PC:			Town/PC:			
E-Mail:			E-Mail:			
Phone:			Phone:			
Order Information			User Weight			
Order	Calculation	Built-4-Me®	User Weight Capacity: 125 kg			
Purchase Order No.:			User Weight: kg			
Art. No.: 08100001		Reimbursement Code: xxx				
Order Date:	Day	Month	Year	Base Price € X.XXX,-		

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat Width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10-20 mm altogether).
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat Depth (SD):

- a) For the user: When sitting upright: leave space for 2-3 fingers between front edge of the seat upholstery and back of knee (approx. 30-60 mm). Care must taken with adj. upholstery.
- b) On the wheelchair: From back tube to front seat upholstery.

Front Seat Height:

- a) For the user: When sitting with 90°knee angle: from back of knee to bottom of shoe sole.
 - b) On the wheelchair: From front of seat tube to the ground. Min. 30 mm longer than user measurement.
- Remember to include the cushion height.

Rear Seat Height:

On the Wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 110 mm

Back Height:

- a) For the user: From the seat, including cushion, to be no more than 10-20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability. 0° is the angle 90° to the seat. Negative angles are <90° and positive angles are >90°.

Centre of Gravity:

On the wheelchair: From the back tube to the middle of the axle plate.

Technical Data

Max. Overall Height:	995 mm
Max. Overall Length:	1140 mm
Overall Width:	SW + 180 mm
Weight	from 13.0 kg

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle in combination with crash test option. For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

Seat Width						
	SW38	SW405	SW43	SW455	SW48	SW52
mm	380	405	430	455	480	520

Seat Depth		
SD415	415 mm	

Front Seat Height (seat angle 3°)			
	FSH465	FSH49	FSH515
mm	465	490	515
6"			–
8"	–	–	

Seat Upholstery			€
BRS020065	Seat sling, Nylon, padded, black		-
BRS020025	Seat, anatomical shaped, 50 mm		XXX,-
BRS020026	Seat, anatomical shaped, incl. toilet bucket		XXX,-
BRS020000	Without seat sling		XXX,-

Backrest			€
Backrest Type			
BRS030122	Backrest, fixed, push handles long, lumbar curve 10° (1)		-
BRS030207	Backrest, fixed, push handles long, height-adjustable, integrated (2)		XXX,-
BRS030101	Backrest, half-folding (to the back) (1) (2)		
BRS030075	Backrest, recline, push handles long (back angle range 60°, back height 500 mm) (2) (3)		XXX,-

Backrest Upholstery		
BRS030071	Backrest sling, Nylon, black	XXX,-
BRS030072	Backrest sling, vented, padded, black (4)	XXX,-
BRS030062	Backrest, anatomical shaped (5)	XXX,-
BRS030082	Backrest sling, Nylon, integrated utility bag, black (6)	XXX,-
BRS030300	Without backrest sling	XXX,-

Headrest			€
BRS030073	Headrest, Nylon sling (back extension), 260 x 280 mm (7)		XXX,-
BRS030063	Headrest, Skay, medium height, 200 x 110 mm		XXX,-
BRS030074	Headrest, Skay, anatomical shaped, medium height, depth- and angle-adjustable, 200 x 110 mm		XXX,-

Armrest			€
BRS040053	Armrest with armpad (300 mm), tool height- and depth-adjustable (8)		-
BRS040054	Armrest with armpad (300 mm), height-adjustable, short/long (8)		XXX,-
BRS040052	Single post sideguard, armpad (330 mm), tool height-, depth-adjustable, removable (9)		XXX,-

Frame			€
BRS010015	Frame swing away (removable footrest)		-

(1) Back height 450 mm, adjustable to 400 and 425 mm

(2) Not with drum brakes

(3) Anti-tips included

(4) Not with backrest reclining & half-folding

(5) Not with backrest fixed, push handles long height-adjustable & backrest half-folding

(6) Not with backrest half-folding

(7) Only with reclining backrest

(8) Not with reclining backrest

(9) N/c with reclining backrest

Backrest



// BRS030122 Backrest, fixed, push handles long, lumbar curve 10°



// BRS030207 Backrest, fixed, push handles long, height-adjustable, integrated



// BRS030101 Backrest, half-folding



// BRS030075 Backrest, recline, push handles long

Backrest Upholstery



// BRS030072 Backrest sling, vented, padded, black



// BRS030062 Backrest, anatomical shaped

Headrest



// BRS030073 Headrest, Nylon sling (back extension), 260 x 280 mm



// BRS030063 Headrest, Skay, medium height, 200 x 110 mm



// BRS030074 Headrest, Skay, anatomical shaped, medium height, depth- and angle-adjustable, 200 x 110 mm

Armrest



// BRS040053 Armrest with armpad (300 mm), tool height- and depth-adjustable



// BRS040054 Armrest with armpad (300 mm), height-adjustable, short/long



// BRS040052 Single post sideguard, armpad (330 mm), tool height-, depth-adjustable, removable

Centre of Gravity (COG) €

COG25	Centre of gravity 25 mm (1)	-
-------	-----------------------------	---

Legrest & Footplates €

Hanger Angle

BRS050002	Hanger angle 70 °	-
-----------	-------------------	---

Composite Hanger Black

BRS050003	Hanger, composite, swing away, left	
BRS050004	Hanger, composite, swing away, right	
BRS050097	Hanger, composite (LLL 325 - 340 mm), swing away, short, left	-
BRS050098	Hanger, composite (LLL 325 - 340 mm), swing away, short, right	-
BRS050095	Hanger, fixed, composite, left	-
BRS050096	Hanger, fixed, composite, right	-

Elevating Legrest (ELR) (2)

BRS050009	Hanger, aluminium, flip-up (0° - 90°), swing away, left	XXX,-
BRS050010	Hanger, aluminium, flip-up (0° - 90°), swing away, right	XXX,-

Footplate

BRS050104	Footboard, divided, composite, flip-up (sideways), heel loop, black	XXX,-
BRS050050	Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (3)	XXX,-
BRS050102	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (3)	XXX,-

Castor Wheels €

BRS080206	Castor, 6", solid, rim: composite, black	XXX,-
BRS080054	Castor, 8" x 1", EVA, rim: composite, black	XXX,-
BRS080049	Castor, 8" x 1 1/4", solid, rim: composite, black	XXX,-
BRS080047	Castor, 8" x 2", solid, rim: composite, black	XXX,-
BRS080046	Castor, 8" x 2", pneumatic, rim: composite, black	XXX,-

Rear Wheels €

BRS070066	Rear wheel, 12", solid (4)	XXX,-
BRS070067	Rear wheel, 12", pneumatic (4)	XXX,-
BRS070050	Rear wheel, 24", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	XXX,-
BRS070051	Rear wheel, 24", pneumatic, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	XXX,-
BRS070064	Rear wheel, 24" x 1 3/8", MAG, solid, handrim composite	XXX,-
BRS070054	Rear wheel, 24" x 1 3/8", MAG, pneumatic, handrim composite	XXX,-
BRS070070	Rear wheel, 22", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	XXX,-
BRS070068	Rear wheel, 24", solid, drum brakes, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver	XXX,-

One-hand operation

BRS070401	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation (5)	XXX,-
BRS070402	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation (5)	XXX,-

Axles €

BRS070152	Screw axle	
BRS070150	Quick release axle (6)	-

Wheel Locks €

BRS060002	Knee-lever brake	-
BRS060010	Brake lever extension, knee-lever brake, fold-down	XXX,-

(1) COG with reclining backrest -50 mm, rear wheel extension

(2) Only with composite footplate

(3) Not with elevating legrest (ELR)

(4) Only with fixed axle

(5) Only with quick release axle, 24" wheels, not with SH 515 mm, solid tires

(6) Not with 12" wheels

Legrests



// BRS050002 Hanger angle 70 °



// BRS070066 Hanger, aluminium, flip-up (0° - 90°), swing away, right

Footplates



// BRS050104 Footboard, divided, composite, flip-up (sideways), heel loop, black



// BRS050050 Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black



// BRS050102 Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black

Rear Wheels



// BRS070050 Rear wheel, 24", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver



// BRS070070 Rear wheel, 22", solid, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver



// BRU040054 Rear wheel, 12", solid



// BRS070402 Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation

Wheel Locks



// BRS060002 Knee-lever brake



// BRS060010 Brake lever extension, knee-lever brake, fold-down



// BRS070068 Rear wheel, 24", solid, drum brakes, 36 spokes (silver), cross-wise spokes, handrim Alu anodized-silver

Trays €

BRS090011	Tray, push-fit (1)	XXX,-
-----------	--------------------	-------

Accessories €

BRS090009	Crutch holder (2)	XXX,-
BRS070831	Spoke guard, transparent (3)	XXX,-
BRS090044	Anti-tip tubes, plug-in, flip-up, pair (4)	XXX,-
BRS090025	Air pump	XXX,-
BRS090030	Back pack	XXX,-
BRS090010	Transit wheels (5)	XXX,-
BRS090108	Unfolding device	XXX,-
BRS090105	Abduction pommel (6)	XXX,-
BRS090135	Positioning belt, carseat buckle	XXX,-
BRS090102	Crash test option	XXX,-
BRS090109	Double amputee kit (7)	XXX,-
BRS090106	3-point positioning belt (8)	XXX,-
BRS090104	IV pole fixed, telescopic (9)	XXX,-
BRS090083	IV support with multiposition clamp	XXX,-
BRS090107	Oxygen bottle holder (10)	XXX,-

Colours €

BRS100140	Apple green	XXX,-
BRS100116	Brilliant red	XXX,-
BRS100141	Navy Blue	XXX,-
BRS100142	Selenium grey	XXX,-

(1) SW 380 mm to 480 mm

(2) Mounted on right side, not with reclining backrest

(3) Only 24" wheels, not with one-hand operation

(4) Standard with double amputee kit

(5) Not with 12" wheels

(6) Only available with seat anatomical shaped

(7) Inclusive anti-tips, pair

(8) Not with backrest reclining

(9) Not with backrest reclining & half-folding

(10) Not with one-hand operation, not with backrest reclining

Trays & Accessories



// BRS090011 Tray, push-fit



// BRS090039 Crutch holder, left



// BRS090104 IV pole fixed, telescopic



// BRS090030 Back pack



// BRS090135 Positioning belt, car-seat buckle



// BRS090109 Double amputee kit



// BRS090044 Anti-tip tubes, plug-in, flip-up, pair



// BRS090010 Transit wheels



// BRS090107 Oxygen bottle holder



// BRS090025 Air pump

Colours



// BRS100140 Apple green



// BRS100116 Brilliant red



// BRS100141 Navy Blue



// BRS100142 Selenium grey

Comments for Customisations



Breezy Style

€

Base price

Total Of Additional Equipment

Packaging And Transport

Exclusive VAT

VAT

Total price

Date

Signature

Day

Month

Year

**Sunrise Medical GmbH**

Kahlbachring 2-4

D-69254 Malsch/HD

Phone: +49 (0) 72 53 / 9 80-0

Fax: +49 (0) 72 53 / 9 80-222

E-Mail: kundenservice@sunrisemedical.de

www.SunriseMedical.eu